

ELECTRIC RANGE



100% electric.
Zero emissions.



100% ELECTRIC

Launched in 2019, JCB's pioneering range of machines are 100% electric, with zero emissions and zero compromise on performance.

JCB E-TECH



ZERO EMISSIONS

FAST CHARGE

LOW NOISE

FULL DAYS WORK



100% OPPORTUNITY

Join the leaders in electric innovation as we work towards a more sustainable future. With the largest range of electric machines on the market, you can rely on JCB's expertise.

MINI EXCAVATOR 19C-IE

The 19C-IE is a quiet and powerful mini excavator capable of a full days work. With the same power as the diesel model, rest assured the 19C-IE will get the job done.



MORE FOR LESS

The 19C-IE has maintenance free batteries, requires minimal daily checks and less servicing, saving rental companies, hirers and owner operators time and money.

SITE DUMPER ITE & 3TE

The ITE & 3TE works in perfect harmony with the 19C-IE excavator, operating indoors and in noise sensitive environments without costly fume extraction systems.

JCB E-TECH



1,625 - 2290kg
OPERATING WEIGHT

1,000 - 3000kg
PAYLOAD

2.71 - 4.56m
TURNING RADIUS



ULTIMATE VERSATILITY

Built to withstand the toughest job sites, the High-Tip skip allows the ITE to unload material into large containers, whilst its compact design enables working in confined areas.



TELEHANDLER 525-60E

The 525-60E electric Loadall is the perfect workhorse for those tight inner-city sites. With opportunity charging, this compact telehandler will work all day.

JCB E-TECH



2,500kg

MAX LIFT CAPACITY

6m

LIFT HEIGHT

720kg

LIFT CAPACITY AT REACH



SAFER WORKING

Adaptive Load Control prevents tipping during heavy loading, whilst low noise levels enable safe and efficient working amongst livestock and pedestrians.

WHEELED LOADER 403E

The 403E delivers less noise, less vibration and less pollution. Combined with its compact size, the 403E is perfect for working indoors or in other enclosed spaces.

JCB E-TECH



2729kg

OPERATING WEIGHT

640kg

PAYLOAD


0.5m³

SHOVEL SIZE



LESS NOISE

Because the 403E is electric, you will notice a lot less noise when you work. Operators can communicate with people around them and it can be used in noise sensitive areas.



POWERPACK 1.25QE, 1.50QE, 3.50QE, 3.75QE, 3.100QE

JCB's electric Powerpacks provide maximum power in the smallest package, proving the ideal power solution where space is at a premium.

JCB E-TECH



230v-400v

SINGLE PHASE OUTPUT

23/104kWh

POWER CAPACITY

8-36kW

OUTPUT CAPACITY



ZERO NOISE

Alongside zero emissions, electric powerpacks provide silent power around the clock, able to work indoors and underground without causing any disruption.

DUMPSTER HTD-5E

The HTD-5E Dumpster is the ideal solution for safe and productive working both indoors and outside, designed to save you time, energy and money.

JCB E-TECH



1,225kg


OPERATING WEIGHT

1.45m

TIP HEIGHT

500kg

CARRYING CAPACITY



DUAL OPERATION

Offering walk-behind and ride-along capability, the HTD-5E makes moving material easy for the operator across multiple applications.



TELETRUK 30-19E & 35-22E

With unique forward reach providing up to 20% increased productivity, JCB's Electric Teletruk range is designed to make the most of your time and space.

JCB E-TECH



3,000 / 3,500kg
MAX LIFT CAPACITY

4m
LIFT HEIGHT

1,900 / 2,200kg
LIFT CAPACITY 2M REACH




WORK ANYWHERE

Zero emissions and low noise make the Electric Teletruks ideal for 24/7 use in urban environments and noise sensitive areas.


ACCESS PLATFORMS

Certified to EN280 for CE performance, JCB's electric scissor range meets the needs of rental companies worldwide, ensuring the highest quality standards.



COMPLETE CONTROL

Fully proportional raise and drive controls allow for precise machine movements.



UNIVERSAL FAST CHARGER

The universal fast charger is a portable, free-standing charging solution with built in lifting eye, for easy manoeuvrability between sites.



100% CONVENIENT

Eliminates the need for numerous charging solutions and is ideal for customers with demanding workloads.

CHARGING SOLUTIONS

The JCB E-Tech machine range has various charging cable solutions to suit your application.

JCB E-TECH



VARIETY OF SOLUTIONS


Single phase and three phased charging solutions, including standard and fast charge options where applicable.

JCB LIVELINK

Protect your investment with JCB LiveLink as standard on all electric machines, providing you with all the information you need, whenever you need it.



FITTED AS STANDARD



LWE-1209-2108
001238763

2 Health 1 Failed check


HEALTH ALERTS

HEALTH ALERTS ACTIONS

34
Actions


TAKE ACTION


- PG21900 - Wear in fuel detector 08.03.50
- GN071 - Rear PTO shaft sensor 08.03.50
- GN092 - Coolant leak warning 08.03.50



TOTAL ACCURACY

Keep your machines running efficiently with service alerts to improve maintenance planning, and manage your rental working time with accurate machine hour monitoring.





100% electric. Zero emissions.

FIND OUT MORE



BUY ONLINE



JCB E-TECH



www.jcb.com