

JCB TELESCOPIC HANDLER

526-56 AGRI

JCB, Inc. North American MACHINE PRICE LIST in U.S. Dollars

CHANGES TO INDIVIDUAL PRICE PAGES MAY OCCUR. PLEASE REFER TO THE

"WHAT'S NEW" SECTION FOR A COMPLETE LIST OF UPDATES.

EFFECTIVE: JANUARY 1. 2014

STANDARD EQUIPMENT

GENERAL	One piece unitized mainframe with rigid frame and componentized driveline.
ENGINE	TIER 4i JCB EcoMAX turbo engine, 109 hp. Dual element air cleaner, spin-on fuel filter, fuel/water separator, thermo start assist, anti-freeze protection to -35 deg F, wide core radiator and reverse drive cooling fan.
TRANSMISSION	JCB 4x4 manual synchroshuttle transmission, powershuttle direction change, 20 mph travel speed
AXLES	JCB manufactured with outboard planetary drive. Front axle limited slip differential.
BRAKES	Internal mounted inboard on front axle, multi disc, oil immersed, servo assisted hydraulic actuation, self adjusting, independent disc type parking brake with brake on alarm and transmission disconnect.
ELECTRICAL	12 volt, Meets IP67 water ingress test standard, 65 amp alternator, 780 CCA, 92 AH low maintenance battery.
INSTRUMENTS	Audible and visual warning system, tachometer, hourmeter, fuel gauge, coolant temp gauge, warning lights for battery charge, air cleaner restriction, engine oil pressure, engine coolant temp, trans oil pressure, parking brake, lift-extend and tilt on single lever control.
CAB UNIT	Meets SAE J231 FOPS/SAE J1040 ROPS requirements, mechanical suspension seat with seat belt, tilt steering column, heater with defroster vent system, windshield wipers and washers for front/rear and roof glass, front and rear worklights, horn, in cab storage, backup alarm meets SAE J994 and operators manual.
TIRES	15.5/80 -24 agricultural traction tires
TELESCOPIC BOOM	Two section, 18ft 4in lift height with hydraulic parallel lift, 5500 lbs maximum lift capacity.
CARRIAGE	48" wide, "Q-Fit" for easy attachment changes, includes fork shaft.
HYDRAULICS	Single lever joystick with "loader" pattern control and proportional boom extend and auxiliary functions, open center load sensing system with gear pump, single auxiliary hydraulic service.
LIVELINK	2 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
SECTIONS ARE ORGANIZ Section I - PACKAGE BUILDS	

Section 3 - ACAGE BUILD - NEW FACTORY BUILT ORDERS Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS DEALER FIT - LOADALLS and AG (LISTED SEPARATELY FOR ALL LOADALLS & AG MACHINES)

SECTION I - PACKAGE BUILDS

Select one of the following machine PACKAGE BUILD codes and OPTIONS as required from Section 3. Package build configurations cannot normally be changed. If a Package Build does not meet your requirements please order a machine using the Custom Build, Attachments & Options Sections following.

SALES	PACKAGE BUILD CODE:	<u>5517A</u>
CODE	ITEM	CAB
5517	526-56 AGRI telescopic handler, 5500 lb maximum lift capacity, TIER 4i JCB EcoMAX 109hp turbo engine,	1
5517	4 wheel drive, 4 wheel steer.	•
500A00 I	15.5/80-24 Traction	√
500B407	One auxilliary circuit with servo joystick, HYDRAULIC pin lock Q-Fit carriage	✓
500C052	Cab with heater and tinted glass	✓
500D411	Fabric suspension seat, includes 2" seatbelt, CAB ONLY	✓
500E03 I	Q-Fit carriage with HYDRAULIC pin locking	✓
500F116	Operators manual - North American English	✓
500K021	Sun blind, front windshield and roof	✓
500G128	Work lights - cab mounted front and rear	✓
500H324	Auto Reverse engine cooling fan	✓
500K I 32	Air Conditioning	✓
500K025	Radio installation kit - includes speakers, no radio	✓
500H044	Limited Slip Differential (Front Axle only)	√

Shipping Weight - Lbs.	13,845

Shipping Weight - Kgs. 6,293

SUGGESTED LIST PRICE

\$105,171

F.O.B.

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each E (Essential) category below. Select Options and/or Attachments from Section 3 or 4.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES			WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	BASE MACHINE (E)			
5517	526-56 AGRI telescopic handler, 5500 lb maximum lift capacity, TIER 4i JCB EcoMAX 109hp turbo	11.389	5,166	\$83,570
5517	engine, 4 wheel drive, 4 wheel steer.	11,507	5,100	<i>403,370</i>
	TIRES (E)			
500A001	15.5/80-24 Traction	550	249	\$5,909
500A004	Michelin XMCL 460/70R24 Agricultural	600	272	\$7,536
500A050	Alliance 460/70R24 A580	600	272	\$7,030
	AUXILIARY HYDRAULICS (E)			
500B406	One auxilliary circuit, single lever joystick, MANUAL pin locking	15	7	\$2,068
500B407	One auxilliary circuit with servo joystick, HYDRAULIC pin lock Q-Fit carriage	24	П	\$2,068
500B408	Two auxilliary circuits with servo joystick, MANUAL pin lock Q-Fit carriage	29	13	\$2,677
500B409	Two auxilliary circuits with servo joystick, HYDRAULIC pin lock Q-Fit carriage	24	П	\$2,677
	OPERATOR'S AREA (E)			
500C052	Cab with heater and tinted glass	1,180	535	\$4,703
	SEATS (E)			
500D411	Fabric suspension seat, includes 2" seatbelt, CAB ONLY	50	23	\$727
500D002	Deluxe fabric seat with air suspension	35	16	\$1,396
500D415	Fabric suspension seat, includes 3" Seatbelt, CAB ONLY	50	23	\$801
	CARRIAGE (E)			
500E030	Q-Fit carriage with MANUAL pin locking	490	222	\$2,010
500E03 I	Q-Fit carriage with HYDRAULIC pin locking	500	227	\$2,461
	OPERATOR'S MANUAL (E)			
500F116	Operators manual - North American English	5	2	\$0
500F117	Operators manual - French Canadian	5	2	\$0

F.O.B.

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional Equipment as desired within limitations if indicated.

SALES		WE	WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	OPERATOR'S COMPARTMENT OPTIONS			
500K021	Sun blind, front windshield and roof	4	2	\$234
500K024	Front screen guard	10	5	\$482
500K025	Radio installation kit - includes speakers, no radio	5	2	\$462
	ELECTRICAL OPTIONS			
500G128	Work lights - cab mounted front and rear	7	3	\$329
500G137	Work lights - boom mounted	4	2	\$329
500H192	Reversing engine cooling fan	2	I	\$814
500H324	Auto Reverse engine cooling fan	2	I	\$275
500K132	Air Conditioning	120	54	\$3,659
500K032	Face level fan - NOT available with 500K021 sun blind	5	2	\$20I
	OTHER BASE MACHINE OPTIONS			
500H044	Limited Slip Differential (Front Axle only)	9	4	\$774
500LII4	Load guard for Q-Fit carriage	35	16	\$555
	тоwнітсн			
500R125	Manual recovery hitch	55	25	\$325

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS:

Select Attachments as desired within limitations if indicated.

SALES	SALES		WEIGHT	
CODE	ITEM	(lbs.)	(kgs.)	LIST
	FORK SETS			
500M112	48" Pallet forks for Q-Fit carriage	250	113	\$1,495
	OTHER ATTACHMENTS			
500L130	I.75 cu. yd, 96" wide GP bucket with edge	1,005	456	\$3,947