



JCB FASTRAC


Fastrac

8310

**JCB, Inc. North American
MACHINE PRICE LIST
in U.S. Dollars**

**CHANGES TO INDIVIDUAL PRICE PAGES MAY OCCUR. PLEASE REFER TO THE
"WHAT'S NEW" SECTION FOR A COMPLETE LIST OF UPDATES.**

EFFECTIVE: JANUARY 1, 2014

	8310 FASTRAC	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2014
---	---------------------	----------------------------	------------------------	----------------------------

STANDARD EQUIPMENT

GENERAL	JCB Fastrac agricultural tractor with full suspension and 43mph travel speed.
CAB	New full width ROPS cab, climate control, heater, dust filter, tinted glass, air suspension seat, passenger seat, seat belts, digital instrumentation, monitoring and warning system, electronic transmission control, ash tray and cigar lighter, auxiliary 12 volt power socket, electrically adjustable mirrors front and rear, windscreen wash wipe, tilt and telescope adjustable steering column.
ENGINE	SISU 8.4 Liter, 306 Max Hp. 1310 Nm torque. Powercore dry element air filter. Engine block heater. Vertical A ¹ post exhaust, foot and hand throttle.
TIRES	Trelleborg 540/65 R38 front and 710/70 R38 rear tires.
TRANSMISSION	JCB V-Tronic 2 range Continually Variable Transmission with 4 modes of operation. Low range 0 - 28 and high range 0 - 42 mph. Arm rest mounted joystick and touch screen control.
PTO	272 max PTO Hp, independent rear 540 and 1000 rpm., 1-3/4" 20 spline (optional) and 1-3/8" (6 and 21 PTO shafts. Electro-hydraulic actuation. Optional front PTO available, 1000 rpm only
AXLES	Beam type axles with epicyclic outboard reduction hubs. Electro-hydraulic 4wd spring on pressure off. Electro-hydraulic soft engage front and rear differential locks.
REAR HITCH	22,046 LBS / 10,000 Kg lift capacity category III linkage with electronic control, fender mounted remote.
BRAKES	ABS air over hydraulic actuation, twin caliper outboard disc brakes on all 4 wheels, spring on air off parking brake, air drier element for cold climate operation.
SUSPENSION	Front 4 link suspension with coil springs and shock absorbers, rear hydraulic self leveling with a load capacity of 5,511 lbs (2,500 Kg).
STEERING	Recirculating ball with hydraulic power assistance and assistor ram. Tilt and telescope adjustable steering column
HYDRAULICS	55 gal/min maximum oil flow @ 3000 psi. 4 rear electronic controlled spool valves, all with 4 position double acting valves with flow and time control, float position, switchable kick out and zero leak. In addition a power beyond circuit offers maximum pump flow on demand with load sensing.
DRAWBAR	Heavy Duty Drawbar
LIGHTS	Full road lighting including 2 front mounted halogen headlights, 4 hazard/turn signals, 8 front and 6 rear work lights, 2 rear brake/tail and reverse lights.
ELECTRICAL	12 volt electrical system to IP67 standard, two 12 volt batteries (950 CCA each), 200 amp alternator, auxiliary 7 pin lighting socket (to SAE J560), in cab 12 volt socket.
LIVELINK	3 year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.
OTHER STANDARD EQUIPMENT	Performance monitor with radar, operators handbook, 158 gallon fuel tank, 48 gallon hydraulic tank, external rear hitch controls and PTO stop. Lockable storage compartment.

SECTIONS ARE ORGANIZED AS FOLLOWS:
Section 1 - PACKAGE BUILDS
Section 2 - CUSTOM BUILD - NEW FACTORY BUILT ORDERS
Section 3 - OPTIONS - NEW FACTORY BUILT ORDERS
Section 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS - (NO ATTACHMENTS CURRENTLY OFFERED)
DEALER FIT - FASTRAC (NO DEALER FIT ITEMS CURRENTLY OFFERED)


	8310 FASTRAC	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2014
---	---------------------	----------------------------	------------------------	----------------------------

SECTION 1 - PACKAGE BUILDS

Select one of the following PACKAGE BUILD codes. Selections from SECTION 4 (OPTIONS) may be added but no deletions are allowed.

SALES CODE	ITEM	PACKAGE BUILD CODE:	<u>3803A</u> 8310
3803	Fastrac 8310 4wd tractor with 307 max Hp SISU 8.4 liter, tier 4i engine using SCR technology, 2 range CVT transmission, air operated disc brakes with ABS on all four wheels, air suspension driver seat and fixed passenger seat, heater, air conditioning and block heater and full road lights		✓
130A828	North American operators manual		✓
130B803	No Front PTO		✓
130C805	540/65 R38 front and 710/70 R38 rear Trelleborg tires.		✓
130D808	4 rear auxiliary hydraulic spool valves - 55gpm		✓
130E802	Heavy duty drawbar		✓
130F801	North American completing package		✓
130G809	GPS Auto Steer ready package - Trimble compatible system		✓
130K802	CAT 3 - 2 linkage conversion balls		✓
130L804	12V accessory power supply sockets		✓
130L818	Field performance package including radar and Activ Traction		✓
130L821	Twin Electrically Adjustable Mirrors		✓
130M801	Deluxe Heated Air Suspension Seat		✓
130M802	Rear 1¾" 20 spline PTO shaft		✓
130M808	Mirror - Interior Rear View		✓
130M814	Single line hydraulic trailer brakes		✓
130X807	North American Tier 4 Flex Engine		✓

Shipping Weight - Lbs.	23,019
Shipping Weight - Kgs.	10,463
SUGGESTED LIST PRICE	\$300,320

	8310 FASTRAC	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2014
---	---------------------	----------------------------	------------------------	----------------------------

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS:

If not ordering a Package Build Unit from Section 1, select one code from each ESSENTIAL (E) category below. Select FACTORY FIT Options from Section 4.

SALES CODE	ITEM	WEIGHT		U.S. LIST
		(lbs.)	(kgs.)	
BASE MACHINE (E)				
3803	Fastrac 8310 4wd tractor with 307 max Hp SISU 8.4 liter, tier 4i engine using SCR technology, 2 range CVT transmission, air operated disc brakes with ABS on all four wheels, air suspension driver seat and fixed passenger seat, heater, air conditioning and block heater and full road lights	22,274	10,125	\$276,115
OPERATORS MANUAL (E)				
130A828	North American operators manual	2	1	\$0
PTO (E)				
130B803	No Front PTO	0	0	\$0
130B804	Front PTO - 1000 rpm, 13/8" 21 spline shaft rotates clockwise	159	72	\$7,697
WHEELS AND TIRES (E)				
130C805	540/65 R38 front and 710/70 R38 rear Trelleborg tires.	496	225	\$7,836
130C806	540/65 R38 front and 650/75 R38 rear Trelleborg tires.	476	216	\$6,068
REAR HYDRAULICS AND FRONT LINKAGE (E)				
130D808	4 rear auxiliary hydraulic spool valves - 55gpm	15	7	\$3,297
130D809	4 rear auxiliary hydraulic spool valves and front linkage - 55gpm	810	368	\$10,860
REAR TRAILER HITCH (E)				
130E801	Pickup hitch and PTO drawbar	110	50	\$4,021
130E802	Heavy duty drawbar	150	68	\$4,021
130E810	No drawbar	0	0	\$0
COMPLETING PACKAGE (E)				
130F801	North American completing package	0	0	\$0
AUTOSTEER (E)				
130G809	GPS Auto Steer ready package - Trimble compatible system	45	20	\$4,359

	8310 FASTRAC	U.S. DOLLAR PRICE PAGES	F.O.B. SAVANNAH, GA	EFFECTIVE: JANUARY 1, 2014
---	---------------------	----------------------------	------------------------	----------------------------

SECTION 3 - OPTIONS - NEW FACTORY BUILT ORDERS:

Select Optional (O) equipment as desired within limitations if indicated. These items may be added to any PACKAGE BUILD or CUSTOM BUILD machine if not already included.

SALES CODE	ITEM	WEIGHT (lbs.) (kgs.)		U.S. LIST
ENGINE OPTION				
130X807	North American Tier 4 Flex Engine	0	0	\$260
HYDRAULIC OPTIONS				
130H806	Front Auxiliary hydraulics - connected into rear spool number 3	20	9	\$721
130H807	Front Auxiliary hydraulics - connected into rear spool number 4	20	9	\$721
130H808	Front Auxiliary return line	10	5	\$360
130H809	Power beyond, load sensing hydraulic circuit - for 55gpm hydraulic pump	25	11	\$1,418
130M814	Single line hydraulic trailer brakes	10	5	\$1,016
ADDITIONAL WEIGHT OPTIONS				
130J803	Front weight, 1900lbs. Front linkage mount	1,980	900	\$2,703
130J804	Front weight, 3300lbs. Front linkage mount	3,300	1,500	\$4,359
130J808	Rear weight - 1800lbs - Factory Installed option only	1,800	818	\$5,351
130J812	Front weight, 1900lbs. Chassis mount	1,980	900	\$2,703
130J813	Front weight, 3300lbs. Chassis mount	3,300	1,500	\$4,359
REAR LINKAGE OPTIONS				
130K801	Knuckle end top link	2	1	\$166
130K802	CAT 3 - 2 linkage conversion balls	2	1	\$68
CAB OPTIONS				
130L804	12V accessory power supply sockets	2	1	\$137
130L816	Left Hand Column Forward/Reverse lever	2	1	\$228
130L818	Field performance package including radar and Activ Traction	5	2	\$1,878
130L819	Heated windshield and mirrors	6	3	\$3,018
130L820	Auxiliary Headlights	4	2	\$828
130L821	Twin Electrically Adjustable Mirrors	2	1	\$355
130L822	Xenon Worklights - 8 Front and 6 Rear Lights including 2 front xenon and 2 rear xenon lights	8	4	\$3,978
130L826	Camera with color screen - rear drawbar and hitch view	5	2	\$2,703
130M801	Deluxe Heated Air Suspension Seat	10	5	\$469
130M808	Mirror - Interior Rear View	2	1	\$171
130M812	Heat reducing glass treatment	1	0	\$4,689
130M816	Cab air filter, heavy duty remote mounted with inlet snorkel	2	1	\$0
OTHER OPTIONS				
130M802	Rear 1 3/4" 20 spline PTO shaft	2	1	\$339
130M803	Rear 1 3/4" 6 spline PTO shaft	2	1	\$340
130M804	DIN 3 plate for front linkage	60	27	\$1,322