

**ROUGH TERRAIN FORKLIFT** | 926 / 930 / 940



**STAGE V**

GROSS POWER  
**55kW (74hp)**

LIFT CAPACITY  
**2.6 – 4 tonnes**

LIFT HEIGHT  
**3.6 – 5.5m**

# JUST THE JOB FOR EVERY INDUSTRY

The Industry Solutions RTFL range from JCB is designed to meet the challenges of demanding material handling applications. Using our extensive knowledge and Industry-leading product development, we offer machines with the exact specification, performance and unrivalled levels of safety and support you need to get the job done. With a choice of IndustryPlus or top of the range IndustryPro models, they are **just the job**.



# JUST THE JOB FOR EFFICIENCY.

Our Industry Plus and Pro machines feature a more efficient 55kW Stage V engine, offering up to 8% less fuel consumption and 10% more torque than the outgoing model.



## REDUCING FUEL CONSUMPTION

Autostop Technology and Gravity Lowering Mast as standard, provide further reductions in fuel consumption.



# JUST THE JOB FOR PERFORMANCE.

Built for all types of terrain and weather conditions, the Industry Plus and Pro are built with 4WD and selectable 2WD.



## MAXIMUM PRODUCTIVITY

LED worklights are standard on the Pro and optional on the Plus, maximizing working hours


# JUST THE JOB FOR RELIABILITY.

Daily checks, maintenance and essential work can be completed from ground level on either side of the machine, due to the innovative bonnet design.



## MAXIMUM UPTIME

High durability levels means long service intervals, ensuring maximum uptime for the machines.



# JUST THE JOB FOR COMFORT.

All our RTFL's have heating as standard and optional air conditioning systems in the cab, ensuring comfort is covered for operators in all climates.



## PRECISE CONTROL

Manual 4-speed gearbox, synchroshuttle transmission and familiar ergonomic controls, give the operator precise, machine control.

# JUST THE JOB FOR SAFETY.


Our Industry Plus and Pro have additional safety features, such as Operator Presence Sensing as standard and hydraulic isolation switch, ensuring safe use at all times.

**LIVE JCB LINK**  
FITTED AS STANDARD



## GREATER SECURITY

JCB Livelink as standard, factory fitted immobiliser and lockable fuel cap are designed to safeguard your machine 24/7.



# ROUGH TERRAIN FORKLIFT | 926 / 930 / 940



## SPECIFICATION.

MODEL	926-4	930-4	940-4
Overall weight	5780kg	6210kg	7370kg
Gross power	55kW (74hp)	55kW (74hp)	55kW (74hp)
Overall cab height	2.56m	2.56m	2.56m
Inside width of cab	1.10m	1.10m	1.10m
Gross torque	440Nm	440Nm	440Nm
Overall width (over tyres)	2.20m	2.20m	2.20m
Engine emissions	Stage V	Stage V	Stage V



## STANDARD FEATURES.

- JCB 55kW Stage V engine
- Peak torque 440Nm
- No Ad-Blue required (DPF only)
- Operator presence sensing
- Integrated glow plug and cold start system
- New bonnet for Stage V engine
- 4" digital display
- Exhaust along b-post of cab
- Spool valve block
- Green beacon and white noise reverse alarm



The JCB logo, consisting of the letters 'JCB' in a bold, white, sans-serif font inside a black rectangular box, which is itself set against a yellow background.

**JUST THE JOB  
FOR EVERY INDUSTRY**

**FIND OUT MORE**



**REQUEST A QUOTE**

The JCB logo, consisting of the letters 'JCB' in a bold, white, sans-serif font inside a black rectangular box, which is itself set against a yellow background.

**[www.jcb.com](http://www.jcb.com)**

